

WHAT IS CLAIMED IS:

1. A recording apparatus comprising:

recording means for recording input first data in a recording medium;

input means for inputting a start point and end point of desired second data out of said first data to be recorded or already recorded in said recording medium by said recording means; and

control means, when said start point and end point of said second data are designated through said input means, for controlling said recording means so as to endlessly-record said first data in said recording medium while avoiding the recording region of said recording medium in which said second data has been recorded.

2. The recording apparatus according to claim 1, wherein said recording medium is a recording medium capable of non linear access.

3. The recording apparatus according to claim 1, further comprising

reproducing means for reproducing said first data recorded in said recording medium, wherein

said start point and end point of said desired second data are input by input means from said first data reproduced by said reproducing means.

4. The recording apparatus according to claim 3, wherein  
said reproducing means reproduces said first data recorded in  
said recording medium after a passage of a predetermined time in  
order of recording said first data in said recording medium.

5. The recording apparatus according to claim 1, wherein  
said control means, when said recording means is controlled so  
as to endless-record said data in said recording medium, endless-  
records said first data in a first region of said recording medium,  
and when said start point and end point of said second data are  
input through said input means, controls said recording means so as  
to endless-record said first data in said first region while  
avoiding a predetermined second region out of said first region of  
said recording medium.

6. The recording apparatus according to claim 1, wherein  
said control means controls said recording means so as to  
record said first data in a first region of said recording medium,  
and controls said recording means so as to generate assisting data  
for identifying said first data and record the assisting data in a  
second region different from said first region of said recording  
medium.

7. The recording apparatus according to claims 1 and 3, wherein  
said control means controls said recording means so as to

record said first data in a first region of said recording medium; controls said recording means so as to generate assisting data for identifying said first data and record the assisting data in a second region different from said first region of said recording medium; further controls said reproducing means so as to reproducing said assisting data recorded in said second region of said recording medium when reproducing said first data by said reproducing means; and when said start point and end point of said second data are input by said input means, controls said recording means so as to generate said assisting data corresponding to said start point and end point and record said assisting data in said second region of said recording medium.

8. The recording apparatus according to claim 6 and/or claim 7, wherein

said assisting data comprises a file name corresponding to said first and/or second data, a time code added to said first and/or second data, and a head address of said recording medium in which said first and/or second data are recorded.

9. A recording/reproducing apparatus for recording input data in a recording medium capable of non linear access, and reproducing and outputting the recorded data, comprising:

recording means for recording input first data in said recording medium;

input means for inputting a start point and end point of desired second data out of said first data to be recorded or already recorded in said recording medium by said recording means;

control means, when said start point and end point of said second data are input through said input means, for controlling said recording means so as to endlessly record said first data in said recording medium while avoiding the recording region of said recording medium in which said second data has been recorded; and

reproducing means for reproducing and outputting said first data recorded in said recording medium.

10. The recording/reproducing apparatus according to claim 9, wherein

the start point and end point of said desired second data are input by said input means from said first data reproduced by said reproducing means.

11. The recording/reproducing apparatus according to claim 9, wherein

said reproducing means reproduces said first data recorded in said recording medium after a passage of a predetermined time in order of recording said first data in said recording medium.

12. The recording/reproducing apparatus according to claim 9, wherein

Sub  
A2

08909023-08119

Sub  
B3

08909023-081197  
251180-22060680

said control means, when controlling said recording means so as to endlessly-record said first data in said recording medium, endless-records said first data in a first region of said recording medium, and when said start point and end point of said second data are input through said input means, controls said recording means so as to endlessly-record said first data in said first region while avoiding a predetermined second region out of said first region of said recording medium (endlessly-recording in a predetermined region on a HD).

13. The recording/reproducing apparatus according to claim 9, wherein

said control means controls said recording means so as to record said first data in a first region of said recording medium, and controls said recording means so as to generate assisting data for identifying said first data and record the assisting data in a second region different from said first region of said recording medium (recording in a predetermined region of a file system HD).

14. The recording/reproducing apparatus according to claim 9, wherein

said control means controls said recording means so as to record said first data in a first region of said recording medium; controls said recording means so as to generate assisting data for identifying said first data and record the assisting data in a

second region different from said first region of said recording medium; further controls said reproducing means so as to reproduce said assisting data recorded in said second region of said recording medium when said first data is reproduced by said reproducing means; and when said start point and end point of said second data are input by said input means, controls said recording means so as to generate said assisting data corresponding to said start point and end point and record said assisting data in said second region of said recording medium (file system renewal).

15. The recording/reproducing apparatus according to claims 13 and 14, wherein

said assisting data comprises a file name corresponding to said first and/or second data, a size of said first and/or second data, a time code added to said first and/or second data, and a head address of said recording medium in which said first and/or second data are recorded (contents of file system).

16. A recording method for recording input first data in a recording medium capable of non linear access, comprising:

first step of endlessly-recording said first data in said recording medium and inputting a start point and/or end point of desired second data out of said first data to be recorded or already recorded in said recording medium; and

second step, when said start point and/or end point of said

desired second data are/is input at said first step, of endlessly-recording said first data in said recording medium while avoiding a recording region of said recording medium in which said second data corresponding to said start point and/or end point out of said first data has been recorded.

17. The recording method according to claim 16, wherein  
said first step reproduces said first data endlessly-recorded in said recording medium, and inputs said start point and end point of said desired second data from said reproduced first data.

18. The recording method according to claim 17, wherein  
said first step reproduces said endlessly-recorded first data after a passage of a predetermined time, and inputs said start point and/or end point of said desired second data from said reproduced first data.

19. The recording method according to claim 16, wherein:  
said first step endlessly-records said first data in a first region of said recording medium; and  
said second step, when said start point and/or end point of said desired second data are/is input at said first step, endlessly-records said first data in said first region while avoiding said second region of said recording medium in which said second data corresponding to said start point and/or end point out of said first

data has been recorded (endlessly-recording in a predetermined region of HD) .

20. The recording method according to claim 16, wherein said first step endlessly-records said first data in said first region of said recording medium, generates assisting data for identifying said first data, and records the assisting data in a second region different from said first region of said recording medium (recording in a predetermined region of file system HD).

21. The recording method according to claims 16 and 17, wherein: said first step endlessly-records said first data in a first region of said recording medium, generates assisting data for identifying said first data, which is recorded in a second region different from said first region of said recording medium, and further, when reproducing said first data, reproduces said assisting data recorded in said recording medium; and

said second step, when said start point and/or end point of said desired second data are/is input at first step, generates said assisting data corresponding to said start point and/or end point, and records said assisting data in said second region of said recording medium (file system renewal).

22. The recording method according to claim 20 and/or claim 21, wherein



Sub  
AS

said assisting data comprises a file name corresponding to said first and/or second data, a time code added to said first and/or second data, and a head address of said recording medium in which said first and/or second data has been recorded.

23. A recording/reproducing method for recording input data in a recording medium capable of non linear access, and reproducing and outputting the recorded data, comprising:

first step of endlessly-recording input first data in said recording medium, and inputting a start point and/or end point of desired second data out of first data to be recorded or already recorded in said recording medium;

second step, when said start point and/or end point of said desired second data are input at first step, of endlessly-recording said first data in said recording medium while avoiding a recording region of said recording medium in which second data corresponding to said start point and/or end point out of said first data has been recorded; and

third step of reproducing and outputting said first data recorded in said recording medium.

24. The recording/reproducing method according to claim 23, wherein

said start point and/or end point of said desired second data are/is input at said first step from said first data reproduced at

said third step.

25. The recording/reproducing method according to claim 24,  
wherein

said third step reproduces said first data endlessly-recorded  
in said recording medium after passage of a predetermined time, and  
inputs said start point and/or end point of said desired second data  
from said reproduced first data.

26. The recording/reproducing method according to claim 23,  
wherein:

said first step endlessly-records said first data in a first  
region of said recording medium; and

said second step, when said start point and/or end point of  
said desired second data are/is input at said first step, endlessly-  
records said first data in said first region while avoiding said  
second region of said recording medium in which said second data  
corresponding to said start point and/or end point out of said first  
data has been recorded (endlessly-recording in a predetermined  
region of HD).

27. The recording/reproducing method according to claim 23,  
wherein

said first step endlessly-records said first data in a first  
region of said recording medium, generates assisting data for

only  
cb/ identifying said first data, and records the assisting data in a second region different from said first region of said recording medium (recording in a predetermined region of file system HD).

28. The recording/reproducing method according to claims 23 and 24, wherein:

03909023-004197  
said first step endlessly-records said first data in a first region of said recording region, generates assisting data for identifying said first data, which is recorded in a second region different from said first region of said recording medium, and further, when said first data is reproduced at said third step, also reproduces said assisting data recorded in said recording medium; and

4  
said second step, when said start point and/or end point of said desired second data are/is input at said first step, generates said assisting data corresponding to said start point and/or end point and records said assisting data in said second region of said recording medium (file system renewal).

29. The recording/reproducing method according to claim 27 and/or claim 28, wherein

said assisting data comprises a file name corresponding to said first and/or second data, a time code added to said first and/or second data, and a head address of said recording medium in which said first and/or second data has been recorded.